

**SECO**

SELECT

TEST OUR METAL®



# THE ORIGINAL HOT FOOD BOX

R4S shown

**Hand-carry food delivery cabinets**  
for portable heated food sales,  
delivery, and service.

## MODELS

**R4**

**R4S**

Job: \_\_\_\_\_

Item No. \_\_\_\_\_



## ORIGINAL HOT FOOD BOX



**Aluminum Construction**



**Door is Framed, Insulated,  
and Gasketed**



**Fully Insulated**



**Preset Factory Thermostat**



**Top Carry Handle**



**Model R4S is Heated by  
Canned Fuel**



**Removable Shelving**

## ACCESSORIES, OPTIONS, VARIATIONS



**Side-Hinged Door**



**Stainless Steel  
Adjustable Legs**



**Alternate Rail Spacing**





**12 Volt Heating System  
plugs into auto lighter**



**Cord Wrap**

# MODEL SPECIFICATIONS



MODEL #	CAPACITY	WIDTH DIM A	DEPTH DIM B	HEIGHT DIM C	VOLTAGE	WATTAGE	AMPERAGE	SHIP WEIGHT
R4	6 shelves	21 3/4"	21"	18 3/4"	120	500	4.16	60 Lbs.
R4S	5 shelves	21 3/4"	21 1/4"	18 7/8"	N/A	Canned fuel	N/A	62 Lbs.



## GENERAL

Cabinet constructed throughout with aluminum. All double-wall construction fully insulated with high-density fiberglass insulation. Cabinet comes complete with top carrying handle.



## INNER CABINET

Inner cabinet shall be all aluminum. R4 - Inner cabinet shall accommodate up to five 16" pizzas or other packaged foods. Cabinet comes complete with removable side rails and 5 perforated shelves. Side rails on 1" centers.

R4S - Inner cabinet shall accommodate up to five 16" pizzas or other package foods. Cabinet comes complete with 5 removable shelves on 2" centers.



## DOOR

Door shall be all aluminum, fully framed, insulated, and gasketed. Door hinged to drop down. Door has a positive action-type latch. Door has louvers for moisture escape.



## ELECTRICAL CHARACTERISTICS

Cabinets are heated by 500 watt, 120 volt, 60 cycle, 1 phase heating system. Thermostat is preset to turn off at 200 degrees and on at 180 degrees. Cabinet comes complete with a power-indicating light. Cabinet comes complete with 6' long permanently-mounted cord with Nema #5-15P plug. R4S heated by 1 small can of fuel placed in fuel drawer located in back of cabinet.



## INTERNAL FRAME

Cabinet front and solid door framed with 16 gauge steel. Top is reinforced for handle.